

Amorphophallus bulbifer (Roxb.) Blume

Identifiants : 2191/amobul

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 03/05/2024

- Classification phylogénétique :

- Clade : Angiospermes ;
- Clade : Monocotylédones ;
- Ordre : Alismatales ;
- Famille : Araceae ;

- Classification/taxinomie traditionnelle :

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Liliopsida ;
- Ordre : Arales ;
- Famille : Araceae ;
- Tribu : Thomsonieae ;
- Genre : Amorphophallus ;

- Synonymes : Amorphophallus aculatum Hook.f, Amorphophallus tuberculiger (Schott) Engl, Arum bulbiferum Roxb, et d'autres ;

- Nom(s) anglais, local(aux) et/ou international(aux) : Bulbifer corpse flower, , Batema, Batet, Bunga bangkai bulbil, Devil's tongue, Dhara-oal, Hen salku, Hen sarilong, Hensarku, Jongli ool, Kadu suvaragedde, Kabei, Loregochha, Narikel, Olkochupata, Saldong, Songru, Taa, Telcong, Teldon, Thabema, Voodoo lily ;



- Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :

Tige^{0(+x)}.

Les tiges des feuilles sont cuites et mangées. Les pousses sont bouillies et mangées. Les tubercules (bulbes) sont cuits et mangés. Ils sont souvent cuisinés avec de la viande

Partie testée : tige^{{{0(+x)}}} (traduction automatique)

Original : Stalk^{{{0(+x)}}}

Taux d'humidité	Énergie (kj)	Énergie (kcal)	Protéines (g)	Pro-vitamines A (µg)	Vitamines C (mg)	Fer (mg)	Zinc (mg)
	0	0	0	0	0	0	0



néant, inconnus ou indéterminés.

- Illustration(s) (photographie(s) et/ou dessin(s)):

- **Autres infos :**

dont infos de "FOOD PLANTS INTERNATIONAL" :

- **Statut :**

C'est une plante alimentaire cultivée^{{{{0(+x)}}}} (traduction automatique).

Original : It is a cultivated food plant^{{{{0(+x)}}}}.

- **Distribution :**

Une plante subtropicale et tropicale. Il pousse dans les forêts de mousson jusqu'à 1100 m d'altitude. Il pousse dans les zones ombragées et humides du Bangladesh. Jardins botaniques de Cairns^{{{{0(+x)}}}} (traduction automatique).

Original : A subtropical and tropical plant. It grows in monsoon forests up to 1,100 m above sea level. It grows in shady and moist areas in Bangladesh. Cairns Botanical Gardens^{{{{0(+x)}}}}.

- **Localisation :**

Asie, Australie, Bangladesh, Himalaya, Inde, Indonésie, Myanmar, Népal, Inde du Nord-Est, Asie du Sud-Est^{{{{0(+x)}}}} (traduction automatique).

Original : Asia, Australia, Bangladesh, Himalayas, India, Indonesia, Myanmar, Nepal, Northeastern India, SE Asia^{{{{0(+x)}}}}.

- **Liens, sources et/ou références :**

dont classification :

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

Ara, R. I. T., 2015, Leafy Vegetables in Bangladesh. Photon eBooks. p 83 ; Behera, K. K. et al, 2008, Wild Edible Plants of Mayurbhanj District, Orissa, India. J. Econ. Taxon. Bot. Vol. 32 (Suppl.) pp 305-314 ; Deb, D., et al, 2013, Wild Edible Plants and Their Utilization in Traditional Recipes of Tripura, Northeast India. Advances in Biological Research 7(5):203-211 ; Dobriyal, M. J. R. & Dobriyal, R., 2014, Non Wood Forest Produce an Option for Ethnic Food and Nutritional Security in India. Int. J. of Usuf. Mngt. 15(1):17-37 ; Ethnobotany of Karbis. Chapter 4 in p 82 ; Hossain, U. & Rahman, A., 2018, Study and quantitative analysis of wild vegetable floral diversity available in Barisal district, Bangladesh. Asian J. Med. Biol. Res. 2018, 4 (4), 362-371 ; Kar, A., & Borthakur, S. K., 2008, Wild vegetables of Karbi - Anglong district, Assam, Natural Product Radiance, Vol. 7(5), pp 448-460 ; Kumar, G.M., & Shiddamallayya, N., 2014, Documentation of Wild Plant Tubers as Food Resources in Hassan District, Karnataka, International Journal of Applied Biology and Pharmaceutical Technoogy. 5(2) p 90 ; Lim, T. K., 2015, Edible Medicinal and Non Medicinal Plants. Volume 9, Modified Stems, Roots, Bulbs. Springer p 8 ; Medhi, P. and Borthakur, S. K., 2011, Genetic Resources of Root and Tuber Crops from North Cachar Hills of Assam. Journal of Root Crops, Vol. 37No.2 pp. 131-143 ; Medhi, P. & Borthakur, S. K., 2012, Phytoresources from North Cachur Hills of Assam -3: Edible plants sold at Hflong market. Indian Journal of Natural Products and Resources. 3(1) pp 84-109 ; Medhi, P. & Borthakur, S. K., 2013, Wild edible plants sold by the Zeme Nagas at the makeshift market of Mahur, Dima Hasao district of Assam. Pleione 7(1): 84 - 93. 2013. ; Medhi, P., Sarma, A and Borthakur, S. K., 2014, Wild edible plants from the Dima Hasao district of Assam, India. Pleione 8(1): 133-148 ; Partha, P., 2014, Ethnobotany of the Laleng (Patra) Community in Bangladesh. Journal of Pharmacognosy and Phtochemistry. 2(6) 173-184 ; Rashid, H. E., 1977, Geography of Bangladesh. Westview. p 264 ; Rumphia 1:148. 1837 ; Sangma, A. j. T., 2018, Non-timber forest products (NTFPs) used by Garo tribe of Rongram block in West Garo Hills, Meghalaya. Indian Journal of Traditional Knowledge Vol 18 (1), pp 151-161 ; Singh, B. et al, 2012, Wild edible plants used by Garo tribes of Nokrek Biosphere Reserve in Meghalaya, India. Indian Journal of Traditional Knowledge. 11(1) pp 166-171 ; Sukarya, D. G., (Ed.) 2013, 3,500 Plant Species of the Botanic Gardens of Indonesia. LIPI p 1061 ; Teron, R. & Borthakur, S. K., 2016, Edible Medicines: An Exploration of Medicinal Plants in Dietary Practices of Karbi Tribal Population of Assam, Northeast India. In Mondal, N. & Sen, J.(Ed.) Nutrition and Health among tribal populations of India. p 148 (As Alocasia bulbifer) ; Tutul, E et al, 2009, Angiospermic Flora of Runctia Sal Forest, Bangladesh. Bangladesh J. Plant Taxon. 16(1): 83-90. p 84