

Rubus rosifolius Sm., 1791 (Framboisier de l'Inde de l'ouest)

Identifiants : 28070/rubros

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 12/05/2024

- Classification phylogénétique :

- Clade : Angiospermes ;
- Clade : Dicotylédones vraies ;
- Clade : Rosidées ;
- Clade : Fabidées ;
- Ordre : Rosales ;
- Famille : Rosaceae ;

- Classification/taxinomie traditionnelle :

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Magnoliopsida ;
- Ordre : Rosales ;
- Famille : Rosaceae ;
- Genre : Rubus ;

- Synonymes : *Rubus rosaefolius* (nom invalide [erreur = écriture/orthographe incorrecte/fausse/erronée] ou variante orthographique valide ? (qp*)) ;

- Nom(s) anglais, local(aux) et/ou international(aux) : ronce roseleaf, rose-leaf bramble, Mauritius raspberry, Arbei tropis merah, Beberetean, Bramble-of-the-Cape, Dum la-huong, Fongwez, Framboesa-silvestre, Frambuesa, Frutilla del monte, Gahkyeng, Gampe aselu, Gempe aselu, Gharungung, Gucen, Init, Kashempong-pot, Kobabol kul, Kongxinpao, Mantum, Mauritius raspberry, Mon barang, Sagmit, Sapinit, Sepfulicu, Sumugisim, Thimbleberry, Tropical Red raspberry, Ijen-ujen, Zarza ;



- Note comestibilité : **

- Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :

Partie(s) comestible(s)^{{{0(+x)}}} : fruit, feuilles^{{{0(+x)}}}μ.

Utilisation(s)/usage(s)_μ^{{{0(+x)}}} culinaires :

-les fruits sont consommés crus ; ils peuvent également être cuits avec du sucre ou en confitures ;

-les jeunes feuilles sont également consommées^{{{0(+x)}}} (crues/cuites et/ou aromatisantes, ex. en salade ou comme potherbe, ou utilisées en tisanes ? (qp*)).

Les fruits sont consommés crus. Ils peuvent également être cuits avec du sucre ou en confiture. Les jeunes feuilles sont également consommées

Partie testée : fruit^{{{0(+x)}}} (traduction automatique)

Original : Fruit^{{{0(+x)}}}

Taux d'humidité	Énergie (kj)	Énergie (kcal)	Protéines (g)	Pro- vitamines A (μg)	Vitamines C (mg)	Fer (mg)	Zinc (mg)
-----------------	--------------	----------------	---------------	--------------------------	------------------	----------	-----------



néant, inconnus ou indéterminés. néant, inconnus ou indéterminés.

- Note médicinale : *

- Illustration(s) (photographie(s) et/ou dessin(s)):

- Autres infos :

dont infos de "FOOD PLANTS INTERNATIONAL" :

- Statut :

Les plantes sont communes en Papouasie-Nouvelle-Guinée. Le fruit est surtout consommé par les enfants^{{{{0(+x) (traduction automatique)}}}.

Original : The plants are common in Papua New Guinea. The fruit is eaten especially by children^{{{{0(+x)}}}.

- Distribution :

C'est une plante tropicale. Il peut pousser dans les basses terres et les hautes terres. Les plantes résistent à la sécheresse et au gel. Ils sont communs dans les forêts de Luzon, Visayas et Mindanao aux Philippines à basse et moyenne altitude. Ils sont communs dans les hautes terres. En Papouasie-Nouvelle-Guinée, *Rubus rosifolius* pousse de 750 à 2800 m d'altitude. Il convient aux zones de rusticité 9-11.^{{{{0(+x) (traduction automatique)}}}

Original : It is a tropical plant. It can grow in the lowlands and highlands. Plants are resistant to drought and frost. They are common in forests of Luzon, Visayas and Mindanao in the Philippines at low and medium altitudes. They are common in the highlands. In Papua New Guinea, *Rubus rosifolius* grows from 750-2800 m altitude. It suits hardiness zones 9-11^{{{{0(+x)}}}.

- Localisation :

Afrique, Argentine, Asie, Australie, Brésil, Cambodge, Cameroun, Afrique centrale, Amérique centrale, Chine, République dominicaine, Afrique de l'Est, Timor oriental, Eswatini, Éthiopie, Hawaï, Himalaya, Inde, Indochine, Indonésie, Japon, Laos, Madagascar, Malawi, Malaisie, Marquises, Maurice, Myanmar, Népal, Nouvelle-Calédonie, Inde du Nord-Est, Pacifique, Papouasie, Papouasie-Nouvelle-Guinée, PNG, Philippines, Polynésie, Porto Rico, Asie du Sud-Est, Sikkim, Îles Salomon, Afrique du Sud, Afrique australe, Amérique du Sud, Sainte-Lucie, Swaziland, Taiwan, Thaïlande, Timor-Leste, USA, Vanuatu, Vietnam, Afrique de l'Ouest, Antilles, Zambie, Zimbabwe^{{{{0(+x) (traduction automatique)}}}.

Original : Africa, Argentina, Asia, Australia, Brazil, Cambodia, Cameroon, Central Africa, Central America, China, Dominican Republic, East Africa, East Timor, Eswatini, Ethiopia, Hawaii, Himalayas, India, Indochina, Indonesia, Japan, Laos, Madagascar, Malawi, Malaysia, Marquesas, Mauritius, Myanmar, Nepal, New Caledonia, Northeastern India, Pacific, Papua, Papua New Guinea, PNG, Philippines, Polynesia, Puerto Rico, SE Asia, Sikkim, Solomon Islands, South Africa, Southern Africa, South America, St Lucia, Swaziland, Taiwan, Thailand, Timor-Leste, USA, Vanuatu, Vietnam, West Africa, West Indies, Zambia, Zimbabwe^{{{{0(+x)}}}.

- Notes :

Il existe environ 250 espèces de *Rubus*^{{{{0(+x) (traduction automatique)}}}.

Original : There are about 250 *Rubus* species^{{{{0(+x)}}}.

• Liens, sources et/ou références :

- ⁵"Plants For a Future" (en anglais) : https://pfaf.org/user/Plant.aspx?LatinName=Rubus_rosifolius ;

dont classification :

- "The Plant List" (en anglais) : www.theplantlist.org/tpl1.1/record/rip-4236 ;

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

Ambasta S.P. (Ed.), 2000, *The Useful Plants of India*. CSIR India. p 533 ; Asfaw, Z. and Tadesse, M., 2001, *Prospects for Sustainable Use and Development of Wild Food Plants in Ethiopia*. *Economic Botany*, Vol. 55, No. 1, pp. 47-62 ; Bodkin, F., 1991, *Encyclopedia Botanica*. Cornstalk publishing, p 893 ; Bodner, C. C. and Gereau, R. E., 1988, *A Contribution to Bontoc Ethnobotany*. *Economic Botany*, 43(2): 307-369 ; Brown, W.H., 1920, *Wild Food Plants of the Philippines*. Bureau of Forestry Bulletin No. 21 Manila. p 66 ; Burkill, H. M., 1985, *The useful plants of west tropical Africa*, Vol. 4. Kew. ; Cherkoff V. & Isaacs, J., *The Bush Food Handbook*. How to gather, grow, process and cook Australian Wild Foods. Ti Tree Press, Australia p 41 ; Cooper W & Cooper W T, 1994, *Fruits of the Rain Forest*. RD Press p 248 ; Cribb, A.B. & J.W., 1976, *Wild Food in Australia*, Fontana. p 53 ; Cundall, P., (ed.), 2004, *Gardening Australia: flora: the gardener's bible*. ABC Books. p 1285 ; Facciola, S., 1998, *Cornucopia 2: a Source Book of Edible Plants*. Kampong Publications, p 210 ; *Flora of China*. Vol. 9 p 91 ; French, B.R., 1986, *Food Plants of Papua New Guinea, A Compendium*. Asia Pacific Science Foundation p 249 ; French, B.R., 2010, *Food Plants of Solomon Islands. A Compendium*. Food Plants International Inc. p 246 ; Gott, B & Conran, J., 1991, *Victorian Koorie Plants*. PO Box 666 Hamilton, Victoria 3300, Australia. p 35 ; Hardwick, R.J., 2000, *Nature's Larder. A Field Guide to the Native Food Plants of the NSW South Coast*. Homosapien Books. p 99 ; Haslam, S., 2004, *Noosa's Native Plants*. Noosa Integrated Catchment Assn. Inc. p 358 ; Hedrick, U.P., 1919, (Ed.), *Sturtevant's edible plants of the world*. p 580 ; Hibbert, M., 2002, *The Aussie Plant Finder 2002*, Florilegium. p 282 ; Hiddins, L., 1999, *Explore Wild Australia with the Bush Tucker Man*. Penguin Books/ABC Books. p 168 ; Hu, Shiu-ying, 2005, *Food Plants of China*. The Chinese University Press. p 461 ; Jardin, C., 1970, *List of Foods Used In Africa*, FAO Nutrition Information Document Series No 2.p 159 ; Lamoureux, C.H., 1976, *Trailside Plants of Hawaii's National Parks*. Hawaii Natural History Association. p 31 ; Long, C., 2005, *Swaziland's Flora - siSwati names and Uses* <https://www.sntc.org.sz/flora/> ; Lorenzi, H., Bacher, L., Lacerda, M. & Sartori, S., 2006, *Brazilian Fruits & Cultivated Exotics*. Sao Paulo, Instituto Plantarum de Estudos da Flora Ltda. p 281 ; Low, T., 1991, *Wild Food Plants of Australia*. Australian Nature FieldGuide, Angus & Robertson. p 66 ; Macmillan, H.F. (Revised Barlow, H.S., et al) 1991, *Tropical Planting and Gardening*. Sixth edition. Malayan Nature Society. Kuala Lumpur. p 319 ; Martin, F.W. & Ruberte, R.M., 1979, *Edible Leaves of the Tropics*. Antillian College Press, Mayaguez, Puerto Rico. p 57, 216 ; Martin, F. W., et al, 1987, *Perennial Edible Fruits of the Tropics*. USDA Handbook 642 p 55 ; Menisa, A. A., et al, 2012, *Survey and characterization of Indigenous Food Plants in Ilocos Norte, Philippines*. SEARCA Discussion Paper series No. 2011-2 ; Monsalud, M.R., Tongacan, A.L., Lopez, F.R., & Lagrimas, M.Q., 1966, *Edible Wild Plants in Philippine Forests*. Philippine Journal of Science. p 533 ; Peekel, P.G., 1984, (Translation E.E.Henty), *Flora of the Bismarck Archipelago for Naturalists*, Division of Botany, Lae, PNG. p 202, 201 ; Pham-Hoang Ho, 1999, *An Illustrated Flora of Vietnam*. Nha Xuat Ban Tre. p 784 ; Phon, P., 2000, *Plants used in Cambodia*. © Pauline Dy Phon, Phnom Penh, Cambodia. p 539 ; *Plants For A Future database*, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. <https://www.scs.leeds.ac.uk/pfaf/> ; Pl. icon. ined. 3: t. 60. 1791 "rosaefolius" ; Powell, J.M., *Ethnobotany*. In Pajmans, K., 1976, *New Guinea Vegetation*. Australian National University Press. p 111 ; Singh, H.B., Arora R.K., 1978, *Wild edible Plants of India*. Indian Council of Agricultural Research, New Delhi. p 71 ; *Swaziland's Flora Database* <https://www.sntc.org.sz/flora/> ; Tanaka, ; USDA, ARS, National Genetic Resources Program. Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: www.ars-grin.gov/cgi-bin/npgs/html/econ.pl (10 April 2000) ; Valder, P., 1999, *The Garden Plants of China*. Florilegium. p 326 ; Vivien, J., & Faure, J.J., 1996, *Fruitiers Sauvages d'Afrique*. *Especies du Cameroun*. CTA p 279 ; White, F., Dowsett-Lemaire, F. and Chapman, J. D., 2001, *Evergreen Forest Flora of Malawi*. Kew. p 457 ; www.Efloras.org Annotated checklist of the Flowering Plants of Nepal. ; Yallakool Reserve Plant List July 1, 2009 Off internet