

Blumea lacera (Burm. f.) A. DC.

Identifiants : 4696/blulac

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 09/05/2024

- Classification phylogénétique :

- Clade : Angiospermes ;
- Clade : Dicotylédones vraies ;
- Clade : Astéridées ;
- Clade : Campanulidées ;
- Ordre : Asterales ;
- Famille : Asteraceae ;

- Classification/taxinomie traditionnelle :

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Magnoliopsida ;
- Ordre : Asterales ;
- Famille : Asteraceae ;
- Genre : Blumea ;

- Synonymes : *Baccharis auriculata* Wall. ex DC, *Blumea bodinieri* Vaniot, *Blumea cernua* DC, *Blumea cinerascens* DC, *Blumea commersonii* Edgew, *Blumea cuneifolia* DC, *Blumea dregeana* DC, *Blumea elongata* DC, *Blumea fontinalis* Edgew, *Blumea glandulosa* DC, *Blumea heyneana* DC, *Blumea hieraciifolia* Hook. f. & Thomson, *Blumea holosericea* DC, *Blumea hymenophylla* DC, *Blumea lacera* var. (several), *Blumea musra* DC, *Blumea subcapitata* DC, *Blumea thyrsoides* Sch.Bip, *Blumea trigona* DC, *Blumea velutina* H. Lev. & Vaniot, *Blumea villosa* Sch.Bip. ex Hook. f, *Conyza amoena* Link, *Conyza dentata* Blanco, *Conyza hamiltonii* Steud, *Conyza lacera* Burm.f, *Conyza lactucifolia* (DC.), *Conyza natans* Buch.-Ham. ex Hook.f, *Conyza necessaria* Buch.-Ham. ex DC, *Conyza runcinata* Wallich, ?*Conyza subcapitata* Wallich, ?*Conyza thyrsoides* Pers, *Conyza velutina* (H. Lev. & Vaniot) H. Lev, *Erigeron exstipulatus* Dchumach. & Thonn, *Senecio velutinus* H. Lev. & Vaniot, ;

- Nom(s) anglais, local(aux) et/ou international(aux) : Kakronda, , Anra mang, Batu linchar, Bugi, Burando, Cai ma, Cai triu, Gangrima, Kakradna, Kayu batu, Khicha bhwatha, Kopile jhar, Kukuradru, Kukursunga, Kurkure, Lalangkapan, Lumai hutan, Mugongreng, Peau, Sembung lalaki ;



- Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :

Parties comestibles : feuilles^{[[[0(+x)]] (traduction automatique)} | Original : Leaves^{[[[0(+x)]]} Les feuilles sont cuites et mangées. Ils sont utilisés dans les soupes. Au Népal, la plante est utilisée pour préparer un gâteau de fermentation à partir duquel la liqueur est distillée

Partie testée : feuilles^{[[[0(+x)]] (traduction automatique)}
Original : Leaves^{[[[0(+x)]]}

Taux d'humidité	Énergie (kj)	Énergie (kcal)	Protéines (g)	Pro-vitamines A (µg)	Vitamines C (mg)	Fer (mg)	Zinc (mg)
89.4	97	23	2.7	0	42	0	0



néant, inconnus ou indéterminés.

- **Illustration(s) (photographie(s) et/ou dessin(s)):**

- **Liens, sources et/ou références :**

dont classification :

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

Ambasta S.P. (Ed.), 2000, *The Useful Plants of India*. CSIR India. p 75 ; Bircher, A. G. & Bircher, W. H., 2000, *Encyclopedia of Fruit Trees and Edible Flowering Plants in Egypt and the Subtropics*. AUC Press. p 60 ; Borrell, O.W., 1989, *An Annotated Checklist of the Flora of Kairiru Island, New Guinea*. Marcellin College, Victoria Australia. p 62 ; Burkill, I.H., 1966, *A Dictionary of the Economic Products of the Malay Peninsula*. Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia. Vol 1 (A-H) p 342 ; Cribb, A.B. & J.W., 1976, *Wild Food in Australia*, Fontana. p 135 ; Dangol, D. R. et al, 2017, *Wild Edible Plants in Nepal*. Proceedings of 2nd National Workshop on CUAOGR, 2017. ; Das, S. and Mohiuddin, M., 2012, Gender role in Home Garden Management in the Indigenous Community: A case study in Bandarban Hill District, Bangladesh. *International Journal of Social Forestry*. 5(1):22-37 ; Dobriyal, M. J. R. & Dobriyal, R., 2014, Non Wood Forest Produce an Option for Ethnic Food and Nutritional Security in India. *Int. J. of Usuf. Mngt.* 15(1):17-37 ; Henty, E.E., & Pritchard, G.S., 1973, *Weeds of New Guinea and their control*. Botany Bulletin No 7, Division of Botany, Lae, PNG. p 68 ; Joshi, N., et al, 2007, *Traditional neglected vegetables of Nepal: Their sustainable utilization for meeting human needs*. Tropentag 2007. Conference on International Agricultural Research for Development. ; Joshi, N. & Siwakoti, M., 2012, *Wild Vegetables Used by Local Community of Makawanpur District and Their Contribution to Food Security and Income Generation*. *Nepal Journal of Science and Technology* Vol. 13, No. 1 (2012) 59-66 ; Kuo, W. H. J., (Ed.) *Taiwan's Ethnobotanical Database (1900-2000)*, <http://tk.agron.ntu.edu.tw/ethnobot/DB1.htm> ; Manandhar, N.P., 2002, *Plants and People of Nepal*. Timber Press. Portland, Oregon. p 114 ; Martin, F.W. & Ruberte, R.M., 1979, *Edible Leaves of the Tropics*. Antillian College Press, Mayaguez, Puerto Rico. p 184 ; Medhi, P. & Borthakur, S. K., 2012, *Phytoreources from North Cachur Hills of Assam -3: Edible plants sold at Hflong market*. *Indian Journal or Natural Products and Resources*. 3(1) pp 84-109 ; Medhi, P. & Borthakur, S. K., 2013, *Wild edible plants sold by the Zeme Nagas at the makeshift market of Mahur, Dima Hasao district of Assam*. *Pleione* 7(1): 84 - 93. 2013. ; Medhi, P., Sarma, A and Borthakur, S. K., 2014, *Wild edible plants from the Dima Hasao district of Assam, India*. *Pleione* 8(1): 133-148 ; Mot So Rau Dai an Duoc O Vietnam. *Wild edible Vegetables*. Ha Noi 1994, p 78 ; Ochse, J.J. et al, 1931, *Vegetables of the Dutch East Indies*. Asher reprint. p 122 ; Peekel, P.G., 1984, (Translation E.E.Henty), *Flora of the Bismarck Archipelago for Naturalists*, Division of Botany, Lae, PNG. p 559 ; Tanaka, Y. & Van Ke, N., 2007, *Edible Wild Plants of Vietnam: The bountiful garden*. Orchid books. p 39 ; Terra, G.J.A., 1973, *Tropical Vegetables*. Communication 54e Royal Tropical Institute, Amsterdam, p 29 ; USDA, ARS, *National Genetic Resources Program. Germplasm Resources Information Network - (GRIN)*. [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: www.ars-grin.gov/cgi-bin/npgs/html/econ.pl (10 April 2000) ; R. Wight, *Contr. bot. India* 14. 1834